





THIS IS A RoHS
COMPLIANT
COMPONENT/
PRODUCT.



NOTES:

1.MATERIAL:

CAGE: COPPER ALLOY, THICKNESS: 0.25mm;
CONNECTOR HOUSING: GLASS FILLED THERMOPLASTIC, UL 94V-0
COLOR: BLACK
TERMINALS: PHOSPHOR BRONZE

2.FINISH

TERMINALS CONTACT AREA: PLATED-GOLD;
SOLDER TERMINAL AREA: PLATED-TIN.

Part No : SFPF-SA40x-15G

Au Plated:
3-15u"
4-30u"





Seconn International Enterprise Co., Ltd.

TOLERANCES			PROJECTION	TITLE			
x.x = ± 0.30 x.xx = ± 0.20 Angles $\pm 2^\circ$ x.xxx = ± 0.15				2x6 SFP Press-fit, W/O LP			
			UNIT				
			mm				
DRAWN	Gigi	DATE	2006/05/17	PART NO.	SFPF-SA40X-15G		
SCALE	1:1	SIZE	A3	SHEET	1/4	REV	A0



THIS IS A RoHS
COMPLIANT
COMPONENT/
PRODUCT.






Seconn International Enterprise Co., Ltd.

TOLERANCES			PROJECTION	TITLE			
x.x = ± 0.30 x.xx = ± 0.20 Angles $\pm 2^\circ$ x.xxx = ± 0.15				2x6 SFP Press-fit, W/O LP			
			UNIT				
			mm				
DRAWN	Gigi	DATE	2006/05/17	PART NO.	SFPF-SA40X-15G		
SCALE	1:1	SIZE	A3	SHEET	2/4	REV	A0



THIS IS A RoHS
COMPLIANT
COMPONENT/
PRODUCT.



CONNETTON PINOUT DETAIL
COMPONENT SIDE OF BOARD

1. RECOMENDED PCB LAOUT (COMPONENT SIDE)
PCB TOLERANCE ± 0.05
2. 考虑客户使用兼容性器件, 回处孔位, 建议PCB LAYOUT图有设计,
但我司此规格器件处无对应引脚.


Seconn International Enterprise Co., Ltd.

TOLERANCES			PROJECTION	TITLE			
x.x = ± 0.30 x.xx = ± 0.20 Angles ± 2° x.xxx = ± 0.15				2x6 SFP Press-fit, W/O LP			
			UNIT				
			mm				
DRAWN	Gigi	DATE	2006/05/17	PART NO.	SFPF-SA40X-15G		
SCALE	1:1	SIZE	A3	SHEET	3/4	REV	A0


RoHS



THIS IS A RoHS
COMPLIANT
COMPONENT/
PRODUCT.



BEZEL CUT-OUT OPENING DETAIL



SECTION B-B



Seconn International Enterprise Co., Ltd.

TOLERANCES			PROJECTION	TITLE			
x.x = ± 0.30 x.xx = ± 0.20 Angles ± 2° x.xxx = ± 0.15				2x6 SFP Press-fit, W/O LP			
			UNIT				
			mm				
DRAWN	Gigi	DATE	2006/05/17	PART NO.	SFPF-SA40X-15G		
SCALE	1:1	SIZE	A3	SHEET	4/4	REV	A0