





REV	DESCRIPTION	DATE




SPECIFICATIONS

Current Rating:1.0 Amps
 Insulator resistance:1000 Megohms Min.
 Dielectric withstanding:AC 300 V
 Contact Resistance:20 Megohms Max
 Operating Temperature:-40° C - +105° C

MATERIALS

Contact Material:Copper Alloy
 Insulator Material:Polyester UL 94V-0
 LCP
 Finish:Gold/Tin Plated


Recommended P. C. Board Hole Layout



A		E	
B		F	
H		W	

Seconn International Enterprise Co., Ltd.							
TOLERANCES			PROJECTION	TITLE			
x.	= ±	x.° ±		1.27x1.27mm Box Header of Various Height Series SMT Type			
x.x	= ± 0.38	.x° ± 5.0°					
x.xx	= ± 0.38	.xx° ± 5.0°					
x.xxx	= ± 0.38	.xxx° ± 5.0°					
DRAWN	ANJOU	DATE	2008/10/14	PART NO.	SBS-B127-2XXX-GM-13.5/6.3-L		
SCALE		SIZE	A4	SHEET	1/3	REV	A

REV	DESCRIPTION	DATE




- 註：
1. 本产品符合EIA-481-B规范.
 2. 每10个键孔间距的累计公差为±0.20mm.
 3. 载带弧度每250mm不超过1mm.
 4. 材质:黑色 PS.
 5. 13英寸盘子每盘长度:4.6M.
 6. 13英寸盘子每盘包装数量:150PCS.
 7. 標示"⊗"為全尺寸測量部位.
 8. 標示"▽C"為QC重點管制部位.
 9. 所有材料必須滿足GREENCONN有害物質管控標準.

W	56.00 ^{+0.30} _{-0.30}	T	0.50±0.05	Po	4.00±0.10	Ao	6.70±0.10	A1	
S	52.40±0.10	F	26.20±0.15	P2	2.00±0.15	Bo	23.92±0.10	B1	
E	1.75±0.10	P	24.00±0.10	Do	ø1.50 ^{+0.10} ₀	Ko	15.80±0.10	K1	

 Seconn International Enterprise Co., Ltd.							
TOLERANCES			PROJECTION	TITLE			
x.	= ± ----	x.°	± ----	 UNIT mm	1.27x1.27mm Box Header of Various Height Series SMT Type		
x.x	= ± 0.38	.x°	± 5.0°				
x.xx	= ± 0.38	.xx°	± 5.0°				
x.xxx	= ± 0.38	.xxx°	± 5.0°				
DRAWN	ANJOU	DATE	2008/10/14	PART NO.	SBS-B127-2XXX-GM-13.5/6.3-L		
SCALE		SIZE	A4	SHEET	2/3	REV	A

REV	DESCRIPTION	DATE



封裝規範:

1. 外箱底部先墊一片紙卡
2. 外箱四個內角各放置一個三角襯
3. REEL之標籤一律朝上
4. 一個REEL裝一個PE袋並放一包干燥劑
5. 將所有包裝好的产品放進外箱
6. 上層放一片紙卡
7. 外箱貼標籤
8. 150PCS/卷, 5卷/箱

註:

以下几个客户出貨時, 包裝不需要放干燥劑的:
MLE. Teknitronica. Garconn. Electronic

序號	名稱	物料編號	規格	單位	用量	基數	備註
1	載帶	GD02-GPEC266-16B001.GF	W/56 * P/24 * T/0.5 mm	M	4.6	150	黑色4153653
2	上帶	GD04-0/6	49.5 mmx300M	R	1	9700	
3	卷盤	GD03-330-0/6	Φ330*Φ100*56.5	PCS	1	150	
4	PE 袋	GPE-9	400x500mm	PCS	1	150	
5	三角襯	GD01-104	405x305mm	PCS	4	750	
6	紙卡	GD01-103	330x330mm	PCS	2	750	
7	外箱	GD01-102	350x350x330mm	PCS	1	750	

Seconn International Enterprise Co., Ltd.

TOLERANCES			PROJECTION	TITLE			
X.	= ± ----	X.°	± ----		1.27x1.27mm Box Header of Various Height Series SMT Type		
X.X	= ± 0.38	.X°	± 5.0°				
X.XX	= ± 0.38	.XX°	± 5.0°	UNIT	DRAWN		
X.XXX	= ± 0.38	.XXX°	± 5.0°	mm			
DRAWN	ANJOU	DATE	2008/10/14	PART NO.	SBS-B127-2XXX-GM-13.5/6.3-L		
SCALE		SIZE	A4	SHEET	3/3	REV	A